

Pro-Active and Responsive Facilitation by Interactive, Single-Window Hub and Virtuous Environmental



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), Maharashtra)

The Partner

KANIKA INFRACON LLP

Adams Court, 2nd Floor, Opp. Hotel Mahabaleshwar, Baner Road, Pune -411045

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity

under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/MIS/239696/2021 dated 19 Nov 2021. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.

2. File No.

3. **Project Type**

4. Category

Project/Activity including 5. Schedule No.

6. Name of Project 7. Name of Company/Organization

8. **Location of Project**

9. **TOR Date** EC22B038MH191599

SIA/MH/MIS/239696/2021

New

B2

8(a) Building and Construction projects

KANIKA INFRACON LLP

KANIKA INFRACON LLP

Maharashtra

N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 26/08/2022

(e-signed) Manisha Patankar Mhaiskar **Member Secretary** SEIAA - (Maharashtra)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please guote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/239696/2021 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To

M/s. Kanika Infracon LLP,

Survey No: - 26/1/2, 27/5 And 27/6,

Baner, Pune - 411045

Subject : Environmental Clearance for "The Balmoral Hillside" at Survey No: -

26/1/2, 27/5 And 27/6 Baner, Pune - 411045 by M/s. Kanika Infracon

LLP

Reference : Application no. SIA/MH/MIS/239696/2021

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 147th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 248th (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

1.	Proposal Number	SIA/MH/MIS/239696/2021			
2.	Name of Project	"The Balmoral Hillside" by M/s. Kanika Infracon LLP			
3.	Project category	8(a)			
4.	Type of Institution	Residential & Commercial			
5.	Project Proponent	Name Mr. Bharat Agarwal			
		Regd. Office Adams court, 2nd Floor, Opp. Hotel			
		address	Mahabaleshwar, Baner Road, Pune: - 411045		
			Telephone No. 91 20 4077 9900		
		Contact	9823365500		
		number			
		e-mail	bharat@kasturi.com		
6.	Consultant	M/s Sneha Hi-Tech Products			
		Accreditation Number: NABET/EIA/1619/IA0028			
7.	Applied for	New Project			
8.	Details of previous EC	NA			
9.	Location of the project	Survey No: - 26/1/2, 27/5 And 27/6 Baner, Pune - 411045			
10.	Latitude and	Latitude – 18°33'28.82" N			
	Longitude	Longitude 73°46'55.43" E			
11.	Total Plot Area (m ²)	20550.00 m ²			
12.	Deductions (m ²)	2268 m ²			
13.	Net Plot area (m ²)	18282.00 m ²			
14.	Proposed FSI area (m ²)	88045.22 m ²			
15.	Proposed non-FSI	39086.35 m ²			

<u></u>	area (m²	2)								
16.		d TBUA (m ²)	127131.57 m ²							
			12/13	12/131.37 III						
17.		m ²) approved								
		ning Authority			2	MONTEST 20	006.26	·2 \		
	till date		(121	85189.74 m	o m-)					
18.	Ground	Ground coverage (m ²) 14157.86 m ²								
	&%	~ `. ′		68.89 % of Total Plot area (20550.00 m ²)						
			68.89							
			77.449	6 of Net Plot						
19.		oject Cost	350 Cr.							
-	(Rs.)	NA EEO CC	 	· · · · · · · · · · · · · · · · · · ·		<u> </u>				
20.		er MoEF& CC	-			the state of the s				
	circular o				*:					
	01/05/20				,	<u> </u>	· · · · ·	Reason for		
21.		of Building Co	<u>.</u>			<u> </u>		Modification		
	Previou Buildin	s EC / Existing	g .	Proposed Configuration				/ Change		
1	Buildi	Configurati	Heig	Building	C	onfigurati	Heig	th NA		
	ng	on	ht	Name	on		t			
	Name		(m)				(m):			
	NA	NA	NA.			at. ***				
				Tower A		+ GR+ 38 th	130.6	$5: \left[\begin{array}{c} \cdot \cdot \cdot \end{array} \right]$		
			16		flo	or	5			
	NA NA	NA	NA [Tower B	R.	+ GR + 38th	130.6	; ?		
	i NA			TOWER D	flo		5			
		NA	NA	.,2	_	2 + 14th				
	NA	1111		Wing C		oor	43.05	5		
	NA	NA	NA			P + 14th	7.	<u> </u>		
1				Wing D	Flo	oor	43.05	5		
	NA	NA	. NA			•				
				Commerci	B	+GR Floor	5.10			
	<u> </u>		<u> </u>	al		· · · · · · · · · · · · · · · · · · ·	<u> </u>	· · ·		
'	,			Club		+GR+1st	0.75			
				House	l	oor	9.75	·		
22,		- A.		1	No of Tenements –408 Nos.					
	<u> </u>	· · · · · · · · · · · · · · · · · · ·	· <u>-</u>	No. of Shops- 07 Nos.			31-			
23.			Season (m³/day)				et Season (m³/day)			
	Budget	Budget Fresh War				Fresh Water		213.05		
1		Recycled		60.50	. !	1 🚜		NA		
		water for		1.4.	:	for Gardeni	ng			
	Gardening Swimmin Pool Recycled water for Flushing Total Treated ex		94.4		<u> </u>					
							7.8			
							04.4			
							94.4			
						T-4-1		207.45		
				367.95	Total		 -	307.45		
			ccess 107.22		i 1		167.72			
		water				water genera	ation			
L	<u> </u>	generation	n					<u> </u>		

24.	117ata	T	200 7		· · · · · · · · · · · · · · · · · · ·		
24.	Water	Fire water tank – 300 m ³					
	Storage	Domestic water tank – 96.35 m ³					
	Capacity for	Flushing water tank – 127.09 m ³					
	Firefighting						
	/UGT						
25.	Source of	Pune Municipal C	orporati	on			
2.	water			Τ΄			
26.	Rainwater	Level of the Grou	ınd	18-25 m			
	Harvesting	water table:					
	(RWH)	Size and no of R		NA			
		tank(s) and Quar		CNI CD	33H1 ' C ' 2 2 2		
		Quantity and size	OI	o Nos. of K	WH pits of size 2m x 2m x 2m		
		recharge pits: Details of UGT to		NA	·		
	:		anks II	INA.			
27.	Sewage and	any:	on in	262.12 m ³ /s	day		
21.	-	Sewage generati CMD:	OH HI	ZQZ.1Z JJI*/(uay ·		
	Wastewater	STP technology:		MBBR			
	• ;	Capacity of STP		270 m ³ /day			
		(CMD):		Z.om/day			
28.	Solid Waste	Type	Quan	tity (kg/d)	Treatment / disposal		
	Managem	Dry waste:	12.00	Kg/Day	Send to an Authorized Vendor		
	ent	Wet waste:		Kg/Day	Send to an Authorized Vendor		
	during	Construction	30.00	Kg/Day	Will be used for Leveling		
	Construc	waste					
	tion Phase						
29.	Solid Waste	Туре	Quant	iitv	Treatment / disposal		
2.7.	Managem		(kg/da	y)			
	ent	Dry waste:	440.00	kg/day	Handed over to an Authorized		
·	during	***	£ 4.7 0.6		Vendor		
	Operatio	Wet waste:		kg/day	Organic Waste Convertor		
	n Phase	Hazardous	NA		NA		
		waste: Biomedical	NT A		DIA		
		waste	NA		NA		
		E-Waste	3 kg/d	ay	Handed over to an		
			AuthorizedVendor				
		STP Sludge	39.3 k	g/day	Will be used as manure after		
			<u> </u>		treatment in OWC		
30.	Green Belt	Total RG area (n			1828.20 m ²		
	Developme		Existing trees on plot:		22 Nos		
	nt	Number of trees to be planted: Number of trees to be cut:		anted:	135 Nos.		
					10 Nos		
		Number of trees to be transplanted:			NA		
31.	Power	Source of power supply:			MSEDCL		
	requirement	_	During Construction Phase		150 KW		
	:	(Demand Load):					
		During Operatio	-	:	3873.67 KW		
		(Connected load):		<u> </u>		

	<u> </u>				· ·		
		During Operation pload):	ohase (Demand	1629.84 KW			
		Transformer:		3 Nos. of 620 VVA			
		DG set:		3 Nos. of 630 KVA 1 No. of 600 KVA & 1 No. of 125			
1	·	100 301.		KVA	11 11 W 1 1 W U 1 1 Z J		
		Fuel used:	<u></u>	HSD			
32.	Details of	Net energy savings v	vith demand load				
	Energy						
	saving						
33.	Environmen	Туре	Details		Cost		
55.	tal	Capital Cost	Site Barricad	ing.			
	Manageme		Personal Prot				
	nt plan	Service Control of the Control of th	Equipment, S		v.		
	budget		Sanitation- M		40.00 Lakh		
	during		toilets& Deb				
	Constructio		Management	<u> </u>			
	n	O & M Cost	Water fo				
	Phase		Suppression,		". :		
			Monitoring,				
			for Constructi				
1				Monitoring,			
1			Disinfection-	Pest	10.00 Lakh/Year		
			Control,				
			Facilities, H		· :.		
			Up, Creches	Up, Creches for Children,			
<u> </u>			Food for child		0.435 (0. 50)		
34.	Environmen	Component	Details	Capital (Rs.)	O&M (Rs. /Y)		
	tal	Storm Water	Storm Water	NA	NA		
	Manageme	Correct these	Piping STP	68.70Lakh	10.30Lakh/year		
1:4	nt plan	Sewage treatment Water treatment	NA NA	NA	NA		
	Budget	RWH	Rain Water	NA .	IVA		
	during	IV.M.11	Harvesting	6.90 Lakh	0.60 Lakh/year		
1	Operation	Swimming Pool	Trai vesting	45.00 Lakh	2.40 Lakh/year		
1 "	phase	Solid Waste	Organic	13.00 134111	2. 10 Dakin your		
	 *	DOILG TEACH	Waste	16.50 Lakh	4.01Lakh/year		
			Convertor				
	74. 7-74.		Dry waste		12.207.111		
			Management	·-	13.38 Lakh/year		
		Hazardous waste	NA	NA.	NA		
		E-waste		_	0.50 Lakh/Year		
		Biomedical waste	·	-	1.00 Lakh/Year		
		management	<u> </u>				
		Green belt			1.19Lakh/Year		
		development		340.38 Lakh	1.19Lakii/ fear		
	·	Energy saving	Solar PV	8.00 Lakh	0.16 Lakh/Year		
		Energy saving	Solar Hot Water	31.50 Lakh	0.63Lakh/Year		
		Environmental Monitoring		-	2.50 Lakh/year		
		Disaster	 	63.05 Lakh	9.93 Lakh/Year		
	<u></u>	Disaster	<u> </u>	L 03.03 Lakii	/./J Lakii/ Itai		

		Management			
35.	Traffic Manageme nt	Туре	Required as per DCR	Actual Provided	Area per parking (m ²)
		4-Wheeler	694	694	Covered Parking= 30m ² Basement Parking= 35 m ²
		2-Wheeler	1116	1116	3.00 m ²
36.	Details of Court cases / litigations w.r.t.the project and project location if any.	NA	:		

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its 248th (Day-2) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. PP to ensure that plantation should not hinder the fire tender movement.
- 2. PP to provide minimum 30% of total parking arrangement with electric charging facility by providing charging points at suitable places.
- 3. PP to ensure that, the water proposed to use for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

- PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 4. SEIAA after deliberation decided to grant EC for FSI 85189.74 m2, Non FSI-39086.35 m2, Total BUA- 124276.09 m2. (Plan approval No., CC/3528/21 Dated-08/02/2022)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during

- construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)

 Protection and Preservation of Trees Act, 1975 as amended during the validity of
 Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.

- XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall

- not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry &

Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Manisha Patanka Shaikar 2-Member Secretary, SELAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pune Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.